

光量子科学連携研究機構(UTripI)セミナー
光量子科学研究センター(PSC)セミナー・フォトンサイエンス研究機構(IPST)セミナー
先端レーザーイノベーション拠点(ALICe)セミナー
最先端融合科学イノベーション教育研究コンソーシアム(CIAiS)セミナー
TACMIコンソーシアム オープンセミナー
フォトンサイエンス国際卓越大学院プログラム(XPS)セミナー

「Hybrid perovskites for THz emission and detection」

Dr. Petr Obraztsov

Academy Research Fellow, University of Eastern Finland

日 時：2023年3月1日(水) 16:00～17:30

場 所：理学部1号館4階414号室+ZOOMでの開催(事前登録制)

【Abstract】

The main properties of halide perovskites useful for solar cells make them also attractive for terahertz (THz) applications. This class of materials, well studied in the optical range, remains much less studied in the THz range. Meanwhile, increasing the efficiency of pulsed terahertz sources and detectors due to more advanced designs or new materials is one of the main directions in the field of terahertz technologies.

Here, we experimentally demonstrate application of solution-processed polycrystalline films of hybrid perovskites for the development of photoconductive terahertz emitters and detectors. By using polycrystalline films and single crystals of widely studied methylammonium-based perovskites MAPbI_3 and MAPbBr_3 , we fabricate and characterize large-aperture photoconductive antennas [1]. The combination of ultrafast time-resolved spectroscopy and terahertz emission experiments allows us to determine the still-debated room temperature carrier lifetime and mobility of charge carriers in halide perovskites using an alternative noninvasive method. The ultrafast change of conductivity that occurs in single crystals and polycrystalline films of lead methylammonium halides excited by a femtosecond laser both above and below the bandgap enables efficient emission and detection of THz radiation [2]. Under excitation with 40 fs pulses centered at 400 nm the fabricated perovskite photoconductive detectors in the frequency range of 0.1–2 THz demonstrate detectivity comparable to traditional detectors based on electro-optical sampling in nonlinear crystals [3].

The results demonstrate the viability of solution-processable halide perovskite for the fabrication of photoconductive THz antennas and the further development of scalable and cost-effective sensor manufacturing for THz time-domain spectroscopy, imaging, and other photonic THz devices.

References:

- [1]. P. Obraztsov, D. Lyashenko et al. Commun Phys 2018, 1, 14.
- [2]. P. Obraztsov, V. Bulgakova et al. Nanomaterials 2021, 11, 313.
- [3]. P. Obraztsov, P. Chizhov et al. ACS Photonics 2022, 9, 1663.

使 用 言 語 : 英語

紹 介 教 員 : 小西 邦昭

本 件 連 絡 先 : sec-utripl@utripl.u-tokyo.ac.jp

申 込 方 法 : Google forms(下記)にて参加の申し込みを行ってください。

当日までにご登録いただいたメールアドレス宛にZoomのURLを送付いたします。

<https://forms.gle/d7ykEsjiJL2a2Fbx7>

*本セミナーはオープンですが、記録のため参加者のお名前、ご所属、メールアドレスをいただいております。